Spa Range



BFC250 Beaker Feeder Cup 250ml

Long Life Re-usable Polypropylene Beaker for use in Nursing, Rehabilitation, Elderly Care and Community Care



The Spa Range is a range of re-usable living aids designed for use in Hospital Wards, Nursing and Care Homes, Rehabilitation and Personal Use at home.

Our Spa Range is an attractive, stylish and functional group of products which includes drinking cups, beakers, jugs, vomit bowls, medicine cups, urinals, bedpans and commodes.



Product Benefits

- Ideal for improving patient's independence and confidence.
- Lightweight, strong and durable.
- Clear, easy to read graduations.
- Non-drip rim, non-scratch and drop proof.
- Choice of lids available which must be ordered separately Narrow Spout Lid, Medium Spout Lid and Wide Spout Lid.
- Lids have a vent hole which helps in cooling hot drinks and controls liquid flow.

Product Specification

- 250ml Beaker Feeder Cup Graduated to 200ml
- 95mm High
- Lids must be ordered separately
- Pack Size 300
- Registered as a Class 1 Medical Device (CE Marked)
- Complies with following Standards:
 - ISO 9001:2008

Quality Management System

- ISO 13485:2003

Medical Devices - Quality Management System

Manufactured from high quality Polypropylene

Guide to Using Spa Products from Warwick SASCo

Usage

- For use with hot and cold liquids.
- Do not overfill with liquids ensure there is a sufficient gap between liquids and vent hole in lid.
- Place lid firmly onto beaker, ensuring the spout centre is central to the beaker.

Cleaning

- Product should be washed before first use. Wash in hot water with detergents and disinfectants and allow to dry naturally.
- After use wash in hot water using detergents and disinfectants.
- Spa Products are designed for repeated use guaranteed for 1000 washes
- Scouring and abrasive cleaners will reduce the performance of products.

Storage

- This product has a shelf life of 36 months from date of manufacture providing the recommended storage conditions are adhered to.
- Product should be stored in its primary packaging, off the floor on a pallet or shelf, and in a clean dry ventilated room at a temperature of 4 °C - 25 °C.